



BAM4 screw end stops

Common terminal block accessories





BAM4



10 mm 0.394 in spacing

Mounting instructions



Description

- Give efficient support to the SNK terminal blocks assemblies thanks to the BAM4 double gripping rail contact,
- Ease the assemblies identification with the BAM4 marking location compatible with all SNK markers and labels.

Ordering details

Description	Color	Type	Order code	Pkg qty	Weight (1 pce) g
10 mm 0.394 in spacing	Dark grey	BAM4	1SNK90001R0000	50	14.00

Main technical data

Material specifications	Insulating material	Polyamide	Rail	TH 35-7.5, TH 35-15
Flammability	VO			
NF F 16 101	I2F2			
Ambient temperature min/max	Service IEC 60068-2-1	-55 ... +110 °C	-67 ... +230 °C	Flat screwdriver
	Storage	-55 ... +110 °C	-67 ... +230 °C	Ø 5.5 mm
	Installing	-5 ... +40 °C	+23 ... +104 °C	Ø 0.217 in
				1.3 N.m ± 0.1
				11.4 lb.in ± 0.88

All the main technical data provided are "manufacturer" values

RoHS

Accessories

Description	Color	Type	Order code	Pkg qty	Weight (1 pce) g
Mounting rail		Symmetrical complying with IEC60715	TH35-7.5		
		Prepunched symmetrical	PR3.Z2	1SNA174300R1700	2 718.00
		Symmetrical complying with IEC60715	TH35-15		
		Prepunched symmetrical	PR30	1SNA173220R0500	2 328.00
			PR4	1SNA168500R1200	2 915.00
			PR50	1SNA178529R0400	2 1288.00
			PR3.G2	1SNA164800R0300	2 718.00
			PR5	1SNA168700R2200	2 700
Label holder		for end stop 33 x 10 mm 1.30 x 0.394 in	LH	1SNK900605R0000	50 0.60
	Dark grey	for end stop 35 x 17 mm 1.378 x .669 in	PEB	1SNA113077R1100	50 1.70
	Dark grey	for end stop 37 x 19.5 mm 1.456 x 0.768 in	LH-R1	1SNK900607R0000	50 1.10
	Beige	for end stop 35 x 17 mm 1.378 x .669 in	PEB	1SNA195077R1400	50 1.70
	Grey	for end stop 29 x 9 mm 1.142 x 0.354 in	PEAD	1SNA399719R1000	20 682.00
	Transparent	for end stop 40 x 5 mm 1.575 x 0.197 in	PEH	1SNA163211R2600	10 382.00
	Grey, black	PEB with black marker and protection included	PEBM1	1SNA113079R2300	50 2.80
	Grey, white	PEB with white marker and protection included	PEBM	1SNA113084R0100	50 2.80
Blank marker	White	In polyamide 5 x 12 mm 0.197 x 0.472	MC512PA	1SNK149999R0000	20 10.00
		In polyamide 6 x 12 mm 0.236 x 0.472 with AMS	MC612PA	1SNK159999R0000	20 11.00
		In polyamide 8 x 12 mm 0.315 x 0.472	MC812PA	1SNK169999R0000	20 14.00
	Yellow	In polyamide 5 x 10 mm 0.197 x 0.394	RC510-YL	1SNA103890R2100	50 5.50
	Green	In polyamide 6 x 10 mm 0.236 x 0.394	RC610	1SNA206230R1100	45 6.70
	Yellow	In polyamide 6 x 10 mm 0.236 x 0.394	RC610	1SNA206231R0600	45 6.70
	Orange	In polyamide 6 x 10 mm 0.236 x 0.394	RC610	1SNA206232R0700	45 6.70
	Blue	In polyamide 6 x 10 mm 0.236 x 0.394	RC610	1SNA206233R0000	45 6.70
	Red	In polyamide 6 x 10 mm 0.236 x 0.394	RC610	1SNA206235R0200	45 6.70
	White	In polyamide 4 x 10 mm 0.157 x 0.394	RC410	1SNA229000R1500	50 5.20
		In polyamide 5 x 10 mm 0.197 x 0.394	RC510	1SNA231000R0700	50 5.20
		In polyamide 6 x 10 mm 0.236 x 0.394	RC610	1SNA233000R0100	45 7.50
		In polyamide 8 x 10 mm 0.315 x 0.394	RC810	1SNA234000R0200	35 8.20
		In polyamide 10 x 10 mm 0.394 x 0.394	RC1010	1SNA238000R1600	35 1.30
	White	In polycarbonate 5 x 10 mm 0.197 x 0.394 compatible	RC510TT	1SNA231600R1500	22 12.00
	Yellow	In polycarbonate 5 x 10 mm 0.197 x 0.394 with HTP500	RC510TT-YL	1SNA231700R1100	22 12.00
	White	In polycarbonate 6 x 10 mm 0.236 x 0.394	RC610TT	1SNA233600R1700	22 12.00
	Yellow	In polycarbonate 6 x 10 mm 0.236 x 0.394	RC610TT-YL	1SNA233700R1300	22 12.00
	White	In polycarbonate 8 x 10 mm 0.315 x 0.394 compatible with	RC810TT	1SNA234600R1000	22 12.00
	Yellow	In polycarbonate 8 x 10 mm 0.315 x 0.394 HTP500 and MG3	RC810TT-YL	1SNA234700R1400	22 12.00
	White	In polycarbonate 5 x 12 mm 0.197 x 0.472 compatible	MC512	1SNK140000R0000	22 9.00
	Yellow	In polycarbonate 5 x 12 mm 0.197 x 0.472 with HTP500	MC512-YL	1SNK140004R0000	22 9.00
	White	In polycarbonate 6 x 12 mm 0.236 x 0.472	MC612	1SNK150000R0000	22 10.00
	Yellow	In polycarbonate 6 x 12 mm 0.236 x 0.472	MC612-YL	1SNK150004R0000	22 10.00
	White	In polycarbonate 8 x 12 mm 0.315 x 0.472	MC812	1SNK160000R0000	22 10.00
	Yellow	In polycarbonate 8 x 12 mm 0.315 x 0.472	MC812-YL	1SNK160004R0000	22 10.00
	White	In polycarbonate 5 x 12 mm 0.197 x 0.472 Compatible	MG-CPM 13 41790	1SNB041790R0512	1960 0.23
		In polycarbonate 6 x 12 mm 0.236 x 0.472 with MG3	MG-CPM 13 41791	1SNB041791R0612	1680 0.27
	Yellow	In polycarbonate 5 x 12 mm 0.197 x 0.472	MG-CPM 13 41740	1SNB041740R0512	1960 0.23
		In polycarbonate 6 x 12 mm 0.236 x 0.472	MG-CPM 13 41741	1SNB041741R0612	1680 0.27
	White	In polycarbonate 5 x 10 mm 0.197 x 0.394	MG-CPM-04 41390	1SNB041390R0510	1120 0.34
		In polycarbonate 6 x 10 mm 0.236 x 0.394	MG-CPM-04 41391	1SNB041391R0610	1344 0.24
		In polycarbonate 6 x 10 mm 0.236 x 0.394	MG-CPM-04 41396	1SNB041396R0810	1120 0.45
	Yellow	In polycarbonate 5 x 10 mm 0.197 x 0.394	MG-CPM-04 41340	1SNB041340R0510	1120 0.36
Universal wire markers holder	Grey	5.2 mm 0.205 in spacing	UMH	1SNK900611R0000	10 0.20

All the technical data for UL/CSA standard and dimensions in inches are in *italics*.

Technical data valid for copper conductors only.